



by GT LINE



HARD CASES
100% MADE IN ITALY


From the European Leader in
Technical Cases Manufacturing

www.explorercases.com



Photo & Video

S O L U T I O N S



KEEP YOUR ACTION



3005.B

Case equipped with precubed foam in the bottom and convoluted foam in the lid.
Ideal to store and protect your iPad, tablet or small electronics.

*** Fits iPad 9.7"**
or similar



OTHER ACCESSORIES:

- Padlocks with key or combination.
- Shoulder strap.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY

3005		L	W	D		
		LENGTH	WIDTH	DEPTH	LID	BASE
Internal dim.	mm	300	210	58	20	38
	in	11 13/16	8 1/4	2 5/16	13/16	1 1/2
External dim.	mm	326	269	75		
	in	12 13/16	10 9/16	2 15/16		
Weight empty	kg	1,10		lbs 2.42		
Weight w/foam	kg	1,15		lbs 2.53		
Volume	lt	3,6		gal 0.95		
Buoyancy	kg/max	2,1		lbs/max 0.55		
Temp. rating	°C	min -33 max +90		°F min -27.4 max +194		
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)					
Mod.	B	O	G	BE	OE	GE
	black	olive	mil. green	black	olive	mil. green



CAMERAS SAFELY!



2712.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV2712). Ideal to store action cameras, compact cameras and accessories.



Elastic bands with Velcro are provided to fix small equipment

OTHER ACCESSORIES:

- Padlocks with key or combination.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM

2712		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	276	200	120	35	85	
	in	10 7/8	7 7/8	4 3/4	1 3/8	3 3/8	
External dim.	mm	305	270	144			
	in	12	10 5/8	5 11/16			
Weight empty	kg 1,62				lbs 3.57		
Weight w/foam	kg 1,83				lbs 4.03		
Volume	lt 6,6				gal 1.58		
Buoyancy	kg/max 4.2				lbs/max 9.25		
Temp. rating	°C min -33 max +90			°F min -27.4 max +194			
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
Mod.	BPH	B	O	G	BE	OE	GE
	complete photo/set	black w/foam	orange w/foam	mil. green w/foam	black empty	orange empty	mil. green empty



THE BEST ACTION CA

3317.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV3317). Ideal to store mirrorless cameras, action cameras and accessories.



Elastic bands with Velcro are provided to fix small equipment



OTHER ACCESSORIES:

- Padlocks with key or combination.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM

3317		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	330	234	170	68	102	
	in	13	9 3/16	6 11/16	2 11/16	4	
External dim.	mm	360	304	194			
	in	14 3/16	11 15/16	7 5/8			
Weight empty	kg	2,29			lbs	5.04	
Weight w/foam	kg	2,51			lbs	5.53	
Volume	lt	13,1			gal	3.43	
Buoyancy	kg/max	7,0			lbs/max	15.43	
Temp. rating	°C	min -33	max +90		°F	min -27.4 max +194	
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
Mod.	BPH	B	O	G	BE	OE	GE
	complete photo/set	black w/foam	olive drab	mil. green w/foam	black empty	orange empty	mil. green empty



MERAS PROTECTION!



3818.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV3818).

Ideal to store DSLR cameras, lenses, flashes and other accessories.



OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM



Elastic bands with Velcro are provided to fix small equipment

3818		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	380	270	180	45	135	
	in	14 15/16	10 5/8	7 1/16	1 3/4	5 5/16	
External dim.	mm	410	340	205			
	in	16 1/8	13 3/8	8 1/16			
Weight empty	kg	3,14			lbs 6.92		
Weight w/foam	kg	3,58			lbs 7.89		
Volume	lt	18,4			gal 4.75		
Buoyancy	kg/max	12,4			lbs/max 27.33		
Temp. rating	°C	min -33 max +90			°F min -27.4 max +194		
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
Mod.	BPH	B	O	G	BE	OE	GE
	complete photo/set	black	orange	mil. green w/foam	black empty	orange empty	mil. green empty



OTHER ACCESSORIES:

- Padlocks with key or combination.



CARRY ALL YOUR

4419.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV4419). Ideal to store DSLR cameras, lenses, flashes and other accessories.



Elastic bands with Velcro are provided to fix small equipment



OTHER ACCESSORIES:

- Padlocks with key or combination.
- Shoulder strap.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM

4419		L	W	D				
		LENGTH	WIDTH	DEPTH	LID	BASE		
Internal dim.	mm	445	345	190	47	143		
	in	17 1/2	13 9/16	7 1/2	1 7/8	5 5/8		
External dim.	mm	474	415	214				
	in	18 11/16	16 5/16	8 7/16				
Weight empty	kg	4,00		lbs 8.81				
Weight w/foam	kg	4,70		lbs 10.36				
Volume	lt	29,2		gal 7.66				
Buoyancy	kg/max	19,7		lbs/max 43.43				
Temp. rating	°C	min -33 max +90		°F min -27.4 max +194				
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)							
Mod.	BPH	BDR	B	O	G	BE	OE	GE
	complete	complete	black	orange	mil. green	black	orange	mil. green



Photo & Video SOLUTIONS

CAMERAS AT ONCE!



4419.BDR

Case equipped with padded drone bag that can be used as a practical backpack (art. DRN44). Ideal to store, transport and protect a Parrot drone or similar and related accessories.

***Fits Parrot Bebop drone**
or similar



**DOUBLE USE:
Backpack
+
Hard Case!**



Extractable padded pouches for accessories and batteries. They can be worn with any belt



The bag can be used as a practical backpack with adjustable straps

Additional frontal pockets for tablets and accessories





MAXIMUM PROTECTION

4820.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV4820). Ideal to store medium format digital cameras, lenses, flashes and other accessories.



OTHER ACCESSORIES:

- Padlocks with key or combination.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM

4820		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	480	370	205	50	155	
	in	18 7/8	14 9/16	8 1/16	1 15/16	6 1/8	
External dim.	mm	520	435	230			
	in	20 1/2	17 1/8	9 1/16			
Weight empty	kg 4,64			lbs 10.22			
Weight w/foam	kg 5,40			lbs 11.90			
Volume	lt 35,5			gal 9.24			
Buoyancy	kg/max 24,7			lbs/max 54.45			
Temp. rating	°C min -33 max +90			°F min -27.4 max +194			
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
	MIL-STD 810G						
Mod.	BPH	B	O	G	BE	OE	GE
	black w/foam	black w/foam	orange w/foam	mil. green w/foam	black empty	orange empty	mil. green empty



FROM THE ELEMENTS!




5122.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV5122). Ideal to store medium format digital cameras, lenses, flashes and other accessories.



Wheels and extractable handle



Self-oiling free running wheels

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM

5122		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	517	277	217	50	167	
	in	20 3/8	10 7/8	8 9/16	1 15/16	6 9/16	
External dim.	mm	546	347	247			
	in	21 1/2	13 11/16	9 3/4			
Weight empty	kg	6,00		lbs 13.22			
Weight w/foam	kg	7,00		lbs 15.43			
Volume	lt	31,0		gal 8.18			
Buoyancy	kg/max	21,5		lbs/max 47.39			
Temp. rating	°C min -33 max +90	°F min -27.4 max +194					
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
Mod.	BPH	B	O	G	BE	OE	GE
	complete photo rack	black w/foam	orange w/foam	mil. green w/foam	black empty	orange empty	mil. green empty

OTHER ACCESSORIES:


- Padlocks with key or combination.



IDEAL PROTECTION

5326.BPH

Case with two padded dividers inserts with adjustable partitions and convoluted foam (art. DIV53). Ideal to store professional cameras, lenses, flashes and other accessories.



Self-oiling
free running
wheels



Wheels and
extractable
handle



Elastic bands
with Velcro are
provided to fix small
equipment

OTHER ACCESSORIES:

- Padlocks with key or combination.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM

5326		L	W	D				
		LENGTH	WIDTH	DEPTH	LID	BASE		
Internal dim.	mm	538	405	250	60	190		
	in	21 3/16	15 15/16	9 13/16	2 3/8	7 1/2		
External dim.	mm	627	475	292				
	in	24 11/16	18 11/16	11 1/2				
Weight empty	kg	10			lbs 22.04			
Weight w/foam	kg	11,25			lbs 24.80			
Volume	lt	53			gal 14.00			
Buoyancy	kg/max	37,2			lbs/max 82.01			
Temp. rating	°C	min -33 max +90			°F min -27.4 max +194			
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)							
Mod.	BPH	BDR	B	O	G	BE	OE	GE
	complete	complete	black	orange	mil. green	black	orange	mil. green



Photo & Video SOLUTIONS



5326.BDR

Case equipped with padded drone bag that can be used as a practical backpack (art. DRN53). Ideal to store, transport and protect a DJI Phantom drone or similar and related accessories.

***Fits DJI Phantom drone
or similar**



**DOUBLE USE:
Backpack
+
Hard Case!**



Extractable padded bumbag to keep your controller safe



Extractable padded pouches for accessories and batteries. They can be worn with any belt



Additional frontal pockets for tablets and accessories

The bag can be used as a practical backpack with adjustable shoulder straps






QUICK, EASY CARRY

5823.BPH


Case with two padded dividers inserts with adjustable partitions and convoluted foam (art. DIV58). Ideal to store professional cameras, lenses, flashes and other accessories.



Wheels and extractable handle



Elastic bands with Velcro are provided to fix small equipment



Self-oiling free running wheels

OTHER ACCESSORIES:

- Padlocks with key or combination.

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FORM

5823		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	580	440	220	60	160	
	in	22 13/16	17 5/16	8 11/16	2 3/8	6 5/16	
External dim.	mm	670	510	262			
	in	26 3/8	20 1/16	10 5/16			
Weight empty	kg	9,17		lbs 20.21			
Weight w/foam	kg	10,40		lbs 22.92			
Volume	lt	56,1		gal 14.79			
Buoyancy	kg/max	36,7		lbs/max 80.90			
Temp. rating	°C	min -33 max +90		°F min -27.4 max +194			
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
Mod.	BPH	B	O	G	BE	OE	GE
	complete protector	black w/foam	orange w/foam	mil. green w/foam	black empty	orange empty	mil. green empty



ING SYSTEM. EVER!

5833.BPH

Case with three padded dividers inserts with adjustable partitions and convoluted foam (art. DIV58 + DIV58.1 + DIV58.2). Ideal to store professional cameras, lenses, flashes and other accessories.



Wheels and extractable handle



Elastic bands with Velcro are provided to fix small equipment

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE


OTHER CONFIGURATIONS:



EMPTY



WITH FOAM



Self-oiling
free running
wheels

5833		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	580	440	330	60	270	
	in	22 13/16	17 5/16	13	2 3/8	10 5/8	
External dim.	mm	670	510	372			
	in	26 3/8	20 1/16	14 5/8			
Weight empty	kg	10,54		lbs 23.23			
Weight w/foam	kg	12,65		lbs 27.88			
Volume	lt	84,2		gal 22.19			
Buoyancy	kg/max	62,0		lbs/max 136.68			
Temp. rating	°C	min -33 max +90		°F min -27.4 max +194			
Certifications	iP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
	MIL-STD 810F						
Mod.	BPH	B	O	G	BE	OE	GE
	complete photo/set	black w/foam	orange w/foam	mil. green w/foam	black empty	orange empty	mil. green empty

OTHER ACCESSORIES:

- Padlocks with key or combination.



SAFELY FLY YOUR DR



7745.BDR

Case with a padded divider insert with adjustable partitions and lid panel with pouches (art. DRN77). Ideal to store, transport and protect a DJI Inspire drone or similar and related accessories.

***FITS DJI Inspire drone**
or similar



Extractable padded bum bag to keep your controller safe

OTHER COLORS:



BLACK



MIL. GREEN



ORANGE

OTHER CONFIGURATIONS:



EMPTY



WITH FOAM




They can be worn with any belt



Extractable padded pouches for accessories and batteries

OTHER ACCESSORIES:

- Padlocks with key or combination.



Self-oiling free running wheels

Wheels and extractable handle

7745		L	W	D			
		LENGTH	WIDTH	DEPTH	LID	BASE	
Internal dim.	mm	770	580	450	90	360	
	in	30 5/16	22 13/16	17 11/16	3 9/16	14 3/16	
External dim.	mm	836	641	489			
	in	32 15/16	25 1/4	14 3/16			
Weight empty	kg	14,20			lbs	31.30	
Weight w/foam	kg	19,47			lbs	42.92	
Volume	lt	200			gal	52.83	
Buoyancy	kg/max	144			lbs/max	317.47	
Temp. rating	°C min -33	max +90			°F min -27.4	max +194	
Certifications	IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J)						
Mod.	BDR	B	O	G	BE	OE	GE
	complete	black	orange	mil. green	black	orange	mil. green



Photo & Video SOLUTIONS

ONE, EVERYWHERE!

TRIPOD BAG90

Padded tripod bag in tear resistant fabric. Adjustable shoulder strap and frontal pouch for accessories.

Ideal to protect and transport professional tripods for cameras and video cameras.

Weight: 0,88 Kg

External dim.: 900x200x80 mm



MUB78 PHOTO

Lightweight, injection moulded PP box for tough heavy duty use. Ideal for use where high loading capacity is needed, for photo and video equipment, such as tripods, lights, cables, batteries, etc.

- Water and shock resistant
- Corrosion proof
- Lifting points on both ends
- Trolley with wheels and pull handle
- Large frontal handle
- Padlockable and stackable

Weight: 6,3 Kg

Internal dim.: 780x410x330 mm



HEAVY DUTY BRASS PADLOCK W/KEY
(Art. EXPL PADLOCK)



COMBINATION PADLOCK
(Art. EXPL COMBILOCK)




TSA COMBI PADLOCK
(Art. EXPL TSA.DIGILOCK)

PADLOCKS

Patented padlocks designed to fit snug to the explorer case mould so as not to swing out





Distributor



GT LINE srl

Via del Lavoro, 50/52 - Loc. Crespellano

40053 Valsamoggia (Bo) - Italy

Tel. +39 051 65041 - Fax +39 051 734925

www.explorercases.com - salesinternational@gtline.com